




# SV1210H471G0A

# Description

The SV1210H471G0A is based on Multilayer fabrication technology. These components are designed to suppress a variety of transient events, including those specified in IEC 61000-4-2 or other standards used for Electromagnetic Compliance (EMC). The SV1210H471G0A is typically applied to protect integrated circuits and other components at the circuit board level. It can operate over a wider temperature range than zener diodes.



#### **Features**

- Rectangle, sizes serialization for hybrid integrated circuit or printed circuit surface mount components
- There are many side electrode lead-out material, particularly suitable for surface mount technology for solderability and resistance to soldering heat of the stringent requirements
- ♦ Fast response (<1ns)</p>
- Low leakage current, low clamping voltage
- Suitable for reflow, wave soldering and hot air hand soldering

## Applications

- Application for Mother Board, Notebook, Cellular Phone, PDA, handheld device, DSC, DV, Scanner, and Set- Top Box...etc.
- Suitable for Push-Button, Power Line and Low Frequency single line over-voltage protect.





# SV1210H471G0A

## Electrical Characteristics (25±5℃)

| Symbol           | Minimum | Typical | Maximum | Units |
|------------------|---------|---------|---------|-------|
| V <sub>RMS</sub> | _       | _       | 300     | V     |
| VDC              | _       | _       | 385     | V     |
| Vv               | 423     | _       | 517     | V     |
| Vc               | _       | _       | 775     | V     |
| I <sub>max</sub> | _       | _       | 150     | A     |
| W <sub>max</sub> | _       | _       | 0.8     | J     |

V<sub>RMS</sub> - Maximum AC operating voltage the varistor can maintain and not exceed 10µA leakage current.

 $V_{DC}$  - Maximum DC operating voltage the varistor can maintain and not exceed 10µA leakage current.

- $V_V\,$  Voltage across the device measure at 1mA DC current. Equivalent to  $V_B$  "breakdown voltage".
- $V_c$  Maximum peak current across the varistor with 8/20µs waveform and 5A pulse current.

Imax - Maximum peak current which may be applied with 8/20µs waveform without device failure.


 $W_{max}$  - Maximum energy which may be dissipated with the 10/1000µs waveform without device failure.





# SV1210H471G0A

## **Dimensions**




| Size EIA<br>(EIAJ) | Leng        | th (L)      | Widtl       | h (W)       | Thickness (T) |             |  |
|--------------------|-------------|-------------|-------------|-------------|---------------|-------------|--|
|                    | Inches      | Millimeters | Inches      | Millimeters | Inches        | Millimeters |  |
| 1210<br>(3225)     | 0.126±0.012 | 3.20±0.30   | 0.098±0.012 | 2.50±0.30   | 0.098 Max     | 2.50 Max    |  |

## Soldering Recommendations

## • Recommended solder Pad Layout

| Size EIA    | А           |             | E           | В           |             | С           |             | D           |  |
|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--|
| (EIAJ)      | Inches      | Millimeters | Inches      | Millimeters | Inches      | Millimeters | Inches      | Millimeters |  |
| 1210 (3225) | 0.071~0.098 | 1.8~2.5     | 0.165~0.228 | 4.2~5.8     | 0.071~0.098 | 1.8~2.5     | 0.020~0.040 | 0.5~1.0     |  |



- The solder paste shall be printed in a thickness of 150 to 200µm.
- The SIR test of the solder paste shall be done (Base on JIS-Z-3284)

#### IR Soldering


Rapid heating, partial heating or rapid cooling will easily cause defect of the component. So preheating and gradual cooling process is suggested. IR soldering has the highest yields due to controlled heating rates and solder liquidus times. Make sure that the element is not subjected to a thermal gradient steeper than 4 degrees per second. 2 degrees per second is the ideal gradient. During the soldering process, pre-heating to within 100 degrees of the solder peak temperature is essential to minimize thermal shock.





# SV1210H471G0A

# Soldering Recommendations (Continue)



#### (a) Preheat

- 1. The temperature rising speed is suggested to be 2~4  $^\circ\!C$  /s
- 2. Appropriate preheat time will be from 60 to 120 seconds.


#### (b) Heating

- 1. Careful about sudden rise in temperture as it may worser the solder ability.
- 2. Set the peal temperature in the range from 215  $\,^{\circ}\text{C}$  to 225  $\,^{\circ}\text{C}.$

#### (c) Cooling

1. Careful about slow cooling as it may cause the position shift of component.

# Surge Waveform



## IEC61000-4-5 Standards

| SEVERITY LEVEL | T1   | T2     |
|----------------|------|--------|
| 1              | 8µs  | 20µs   |
| 2              | 10µs | 1000µs |

# SOCAY Electronics Corp., Ltd.



BHF RoHS

# Surface Mount Multilayer Varistor

# SV1210H471G0A

# **Environmental & Reliability Testing**

| Characteristic                   | Test method and description   |      |                  |          |  |  |  |  |
|----------------------------------|---|------|------------------|----------|--|--|--|--|
| High Temperature Storage         | The specimen shall be subjected to $125\pm2^{\circ}$ C for $1000\pm2$ hours in a thermostatic bath without loa and then stored at room temperature and humidity for 1 to 2 hours. The change of varistor voltag shall be within 10%.                        |      |                  |          |  |  |  |  |
|                                  |   | Step | Temperture       | Period   |  |  |  |  |
| Temperature Cycle                | The temperature cycle of specified temperature shall<br>be repeated five times and then stored at room  | 1    | <b>-40±3</b> ℃   | 30min±3  |  |  |  |  |
|                                  | temperature and humidity for one two hours. The change of varistor voltage shall be within 10% and mechanical damage shall be examined.   |      | Room Temperature | 1~2hours |  |  |  |  |
|                                  |   |      | <b>125±2</b> ℃   | 30min±3  |  |  |  |  |
|                                  |   | 4    | Room Temperature | 1~2hours |  |  |  |  |
| High Temperature Load            | After being continuously applied the maximum allowable voltage at $85^{\circ}$ C for 1000hours, the specimen shall be stored at room temperature and humidity for one or hours, the change of varistor voltage shall be within 10%.                         |      |                  |          |  |  |  |  |
| Damp Heat Load/<br>Humidity Load | The specimen should be subjected to $40^{\circ}$ C,90 to 95%RH environment, and the maximum allowable voltage applied for 1000 hours, then stored at room temperature and humidity for one o two hours. The change of varistor voltage shall be within 10%. |      |                  |          |  |  |  |  |
| Low Temperature Storage          | The specimen should be subjected to -40 $^\circ$ C, without load for 1000 hours and then stored at room temperature for one two hours. The change of varistor voltage shall be within 10%.  |      |                  |          |  |  |  |  |

# **General Technical Data**

| Operating Temperature   | -55~125°C       |
|-------------------------|-----------------|
| Storage Temperature     | -55~150℃        |
| Response Time           | <1 ns           |
| Solderability           | 245±5℃, 3±1sec  |
| Solder Leach Resistance | 260±5℃, 10±1sec |






# SV1210H471G0A

# **Packaging Information**

## **Carrier Tape Dimensions**




Carrier tape transparent cover tape should be heat-sealed to carry the products, and the reel should be used to reel the carrier tape.

The adhesion of the heat-sealed cover tape shall be 40+20/-15 grams.

Both the head and the end portion of taping shall be empty for reel package and SMT auto-pickup machine. And a normal paper tape shall be connected in the head of taping for the operator handle.

| Symbol | A0<br>±0.10 | В0<br>±0.10 | K0<br>±0.10 | T<br>±0.05 | T1<br>±0.05 | D0<br>+0.10<br>-0.00 | D1<br>±0.05 | P1<br>±0.10 | P2<br>±0.05 | P0<br>±0.050 | W<br>±0.20 | E<br>±0.10 | F<br>±0.05 |
|--------|-------------|-------------|-------------|------------|-------------|----------------------|-------------|-------------|-------------|--------------|------------|------------|------------|
| 1210   | 2.18        | 3.46        | 1.45        | 0.22       | 0.10        | 1.50                 | 1.00        | 4.00        | 2.00        | 4.00         | 8.00       | 1.75       | 3.50       |

#### **Taping Reel Dimensions**



| Symbol | А         | В        | С        | D         | w       | W1       |
|--------|-----------|----------|----------|-----------|---------|----------|
| 1210   | 178.0±1.0 | 60.0±0.5 | 13.0±0.2 | 110.0±0.5 | 9.0±0.5 | 1.5±0.15 |

#### **Taping Specifications**

There Shall be the portion having no product in both the head and the end of taping, and there shall be the cover tape in the heat of taping.

## Quantity of products in the taping package

| SIZE EIA (EIAJ)                        | 1210<br>(3225) |
|--|----------------|
| Standard Packing Quantity (PCS / reel) | 2,000          |

## The contents of a box : 1210 Series: 6 reels / inner box

## Label and Marking:

The paper label shall be plastered on the obvious side of the reel, and the information show as right side

# SOCAY Electronics Corp., Ltd.

www.socay.com