

# Power Thermistor for Limiting Inrush Current (NTC Thermistor)

## MF72-SCN5D-11

#### **Features**

◆ RoHS & Halogen Free (HF) compliant

Body size: Φ11mm

Radial lead resin coated


High power rating

Wide resistance range

Cost effective

◆ Operating temperature range: -40~+200°C

◆ Agency recognition: UL /cUL/RoHS



#### **Recommended Applications**

Switch mode power supply

◆ Electric motor

Transformer

◆ Adapter

Projector

Halogen lamp

♦ LED driver circuit

#### **Storage Conditions of Products**

◆ Storage Conditions:

Storage Temperature: -10°C ~ +40°C.

Relative Humidity: ≤ 75%RH.

Keep away from corrosive atmosphere and sunlight.

Period of Storage: 1 year.

#### **Part Number Code**

MF72	SCN	5D -	11
(1)	(2)	(3)	(4)

(1) MF72: MF72 Series.

(2) SCN: Socay NTC.

(3) 5D: Zero Power Resistance at 25°C (R<sub>25</sub>):5=5Ω.

(4) Body Size: 11=Φ11mm.

1/3




# Power Thermistor for Limiting Inrush Current (NTC Thermistor)

# MF72-SCN5D-11

#### **Electrical Characteristics**

Part Number	Resistance at 25℃ ±20%	Max. Permissible Working Current	Resistance under Load (mΩ)	Dissipation Factor	Thermal Time Constant	Maximum permissible capacitance @240Vac
	$R_{25}(\Omega)$	I <sub>max</sub> (A)	(mΩ)	δ(mW/℃)	τ(Sec.)	C(uF)
MF72-SCN5D-11	5	4	156	13	45	220

## **Maximum Power Rating (Pmax)**






# Power Thermistor for Limiting Inrush Current (NTC Thermistor)

# MF72-SCN5D-11

## Structure and Dimensions (Unit: mm)



D max	T max	P max	F	H	L <sub>short</sub> /L <sub>long</sub>	d	Type
12.5	5.5	3.0	7.5±0.5		7±1/20±1	0.75	S
12.5	5.5	3.0	7.5±0.5	17.5±1	4±1/20±1	0.75	K/V/D

Note: Length of Pin (L) can be customized.

## **Packing Specifiction**

Part Number	Type of L	Quantity (pcs/bag)
ME70 00NED 44	L <sub>short</sub>	1000
MF72-SCN5D-11	$L_{long}$	500

## Reliability

Item	Test conditions / Methods	Test Result	
Tensile Strength of Terminals	I Fasten body with a Load Applied to each lead 3 like for 1sec		
Bending Strength of Terminals	Fixed body hand 1.0kg on one terminal bend 90 then back again oppsite.	No break out and damage	
Solder Ability	When the Lead wire was dipped into bath 0f 235 $\pm$ 5 $^{\circ}$ C for 3 seconds after immersion in 25% rosin flux the solder ability ratio of lead wire surface should more than 95%.	More than 95% solder ability	
Temp. Cycle Test	(-40°C×→+25°C×3min) × 5Cycles (-85°C×→+25°C×3min) × 5Cycles	ΔR/R   ≤ ±20 %	
Humidity Test	45℃ 95%RH×1000 hours	ΔR/R   ≤ ±20 %	
Load Life	6 AMP×1000 hours	ΔR/R   ≤ ±20 %	
Insulation Test DC 700V		R≥500MΩ	