

Power Thermistor for Limiting Inrush Current (NTC Thermistor)

MF72-SCN10D-11

Features

- RoHS & Halogen Free (HF) compliant
- Body size: Φ11mm
- Radial lead resin coated
- High power rating
- Wide resistance range
- Cost effective
- ◆ Operating temperature range: -40~+200°C
- Agency recognition: UL /cUL/RoHS

Recommended Applications

- Switch mode power supply
- Electric motor
- Transformer
- Adapter
- Projector
- Halogen lamp
- LED driver circuit



Storage Conditions of Products

- Storage Conditions:
 - Storage Temperature: -10[°]C ~ +40[°]C.
 - Relative Humidity: \leq 75%RH.
 - Keep away from corrosive atmosphere and sunlight.
- Period of Storage: 1 year.

Part Number Code

MF72 SCN 10D - 11

(1) (2) (3)

- (1) MF72: MF72 Series.
- (2) SCN: Socay NTC.
- (3) 10D: Zero Power Resistance at $25^{\circ}C(R_{25})$:10=10 Ω .

(4)

(4) Body Size: 11=Φ11mm.

SOCAY Electronics Corp., Ltd.




Power Thermistor for Limiting Inrush Current (NTC Thermistor)

MF72-SCN10D-11

Electrical Characteristics

Part Number	Resistance at 25℃ ±20%	Max. Permissible Working Current	Resistance under Load (mΩ)	Dissipation Factor	Thermal Time Constant	Maximum permissible capacitance @240Vac
	R ₂₅ (Ω)	I _{max} (A)	(mΩ)	δ(mW /℃)	т(Sec.)	C(uF)
MF72-SCN10D-11	10	3	275	14	47	220






SOCAY Electronics Corp., Ltd.



Power Thermistor for Limiting Inrush Current (NTC Thermistor)

MF72-SCN10D-11

Structure and Dimensions (Unit: mm)



D max	T max	P max	F	Н	L _{short} /L _{long}	d	Туре
12.5	5.5	3.0	7.5±0.5		7±1/20±1	0.75	S
12.5	5.5	3.0	7.5±0.5	17.5±1	4±1/20±1	0.75	K/V/D

Note: Length of Pin (L) can be customized.

Packing Specifiction

Part Number	Type of L	Quantity (pcs/bag)
	L _{short}	1000
MF72-SCN10D-11	L _{long}	500

Reliability

ltem	Test conditions / Methods	Test Result		
Tensile Strength of Terminals	Fasten body with a Load Applied to each lead 3.0Kg for 1sec.	No break out and damage		
Bending Strength of Terminals	Fixed body hand 1.0kg on one terminal bend 90 then back again oppsite.	No break out and damage		
Solder Ability	When the Lead wire was dipped into bath 0f 235 \pm 5 $^{\circ}$ C for 3 seconds after immersion in 25% rosin flux the solder ability ratio of lead wire surface should more than 95%.	More than 95% solder ability		
Temp. Cycle Test	(-40℃×→+25℃×3min) × 5Cycles (-85℃×→+25℃×3min) × 5Cycles	ΔR/R ≤ ±20 %		
Humidity Test	45℃ 95%RH×1000 hours	$ \Delta R/R \le \pm 20 \%$		
Load Life	6 AMP×1000 hours	$ \Delta R/R \le \pm 20 \%$		
Insulation Test	DC 700V	R≥500MΩ		

SOCAY Electronics Corp., Ltd.